

### DJI Mavic 3 Quadcopter Drone W/Camera, Transmitter

[Sprzedam] Odzież i obuwie sportowe

DJI Mavic 3 Quadcopter Drone w/Camera, Transmitter, Battery & Charger

Mavic 3 from DJI offers photographers and videographers a unique feature that has historically been incredibly difficult to achieve; two camera types equipped on one drone and gimbal system. The wide angle camera features 20MP, and a 4/3" CMOS sensor from Hasselblad, as well as a 12MP telephoto camera equipped with a 1/2" CMOS sensor, up to 4k video, and 28x hybrid zoom.

Capturing the moment couldn't be easier with Mavic 3 thanks to not only it's top tier camera and gimbal system, but when paired with omnidirectional obstacle sensing, you can focus on getting the perfect framed shot, and let the drone do the rest of the work.

#### Features:

- Advanced camera features improving image quality
- Omnidirectional obstacle sensing plan a safe flight
- Advanced Return to Home ensuring successful landings
- Up to 46 minutes of flight time

#### Specifications:

#### Aircraft:

■ Takeoff Weight: 895g

Dimensions:

• Folded: 221x96.3x90.3mm (L×W×H)

• Unfolded: 347.5x283x107.7mm (L×W×H)

■ Diagonal Distance: 381 mm

■ Max Ascent Speed: 8 m/s (S Mode)

■ Max Descent Speed: 6 m/s (S Mode)

■ Max Speed (near sea level, no wind): 19 m/s (S Mode)

■ Max Flight Time: 46 minutes

■ Max Wind Speed Resistance: 12 m/s

■ Max Tilt Angle: 35° (S Mode)

■ Max Angular Velocity: 200°/s (S Mode)

■ Operating Temperature Range: -10° to 40°C (14° to 104°F)

Operating Frequency: 2.400-2.4835 GHz / 5.725-5.850 GHz

- Transmission Power (EIRP): 14-33dBm (Depending on mode and operating frequency)
- Hovering Accuracy:
  - Vertical: ±0.1 m (Vision Positioning) / ±0.5 m (GPS Positioning)
  - Horizontal: ±0.3 m (Vision Positioning) / ±1.5 m (GPS Positioning)
- Gimbal:
  - Mechanical Range (Degrees):
    - Tilt: -135° to 100°
    - Roll: -45° to 45°
    - Pan: -27° to 27°
  - Controllable Range (Tilt): -90° to 35°
- Hasselblad Camera:
  - Sensor: 4/3" CMOS
  - Effective Pixels: 20 MP
  - Lens:
    - FOV: 84°
    - 35 mm Format Equivalent: 24 mm
    - Aperture: f/2.8
    - Shooting Range: 1m to infinity
  - ISO Range: 100-6400
  - Shutter Speed: 8-1/8000s
  - Video Resolution (Apple ProRes 422HQ & H.264/H.265):
    - 5.1k: 5120x2700 24/25/30/48/50fps
    - 4K: 3840x2160 24/25/30/48/50/60/120fps
    - FHD: 1920×1080 24/25/30/48/50/60/120/200fps
  - Max Video Bitrate: 200 Mbps
  - Supported File System: exFAT
  - Photo Format: JPEG/DNG (RAW)
  - Video Format: MP4 (H.264/MPEG-4 AVC)
- Tele Camera:
  - Sensor: 1/2" CMOS
  - Effective Pixels: 12 MP
  - Lens:
    - FOV: 15°
    - 35 mm Format Equivalent: 162 mm
    - Aperture: f/4.4
    - Shooting Range: 3m to infinity
  - ISO Range: 100-6400
  - Shutter Speed: 2-1/8000s
  - Video Resolution:

- 4K: 3840x2160 30fps
- FHD: 1920×1080 30fps

### Charger:

■ Input: 100-240V, 47-63Hz, 2.0A

Output: 20V 3.25A / 15V 4.3A / 5V 5A

■ Rated Power: 65 W

### • Flight Battery:

■ Capacity: 5000 mAh

■ Voltage: 15.4 V

■ Max Charging Voltage: 17.6V

■ Battery Type: LiPo 4S

■ Energy: 77 Wh

■ Net Weight: 335.5g

### Includes:

- (1) Mavic 3 Drone
- $\circ$  (1) Remote Controller
- (1) Flight Battery
- (1) Pair of Spare Propellers
- (1) Spare Set of Control Sticks
- o (3) RC Cables
- (1) USB Cables
- (1) 65W Charger
- (1) Storage Cover
- (1) Manual



# Informacje dodatkowe

Brak

## Adres ogłoszenia

https://wloclaw.ski/dji-mavic-3-quadcopter-drone-w-camera-transmitter, o 7669

### Kontakt

Mail: nasutionreyna658@gmail.com Telefon: +6282320101768

# Lokalizacja

FX Sudirman JI. Jenderal Sudirman, Gelora, Kecamatan Tanah Abang, Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10270, JAKARTA - (Indonezja)

Ogłoszenie dodano: **2024-01-15 17:49:45** Ogłoszenie wygasa: **2025-08-15 02:45:05**